

Revision date 01-Sep-2022

This safety data sheet was created pursuant to the requirements of: GHS: The Globally Harmonized System of Classification and Labeling of Chemicals

BOSTIK COOLROOM SEALANT CR6S

Revision Number 2 Supersedes Date: 28-Jun-2017

Section 1: Identification

Product identifier

Product Name BOSTIK COOLROOM SEALANT CR6S

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended use No information available

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier

Bostik New Zealand Limited 19 Eastern Hutt Road Wingate, Lower Hutt, New Zealand

Tel: 04-567 5119 Fax: 04-567 5412

E-mail address SDS.AP@Bostik.com

Emergency telephone number

Emergency Telephone 24 Hr: 0800 243 622

International +64 4 917 9888 Poison Centre : 0800 764 766

Section 2: Hazard identification

GHS Classification

Serious eye damage/eye irritation	Category 1 (HSNO - 8.3A)
Skin sensitization	Category 1 (HSNO - 6.5B)
Carcinogenicity	Category 2 (HSNO - 6.7B)
Reproductive toxicity	Category 2 (HSNO - 6.8B)
Specific target organ toxicity (repeated exposure)	Category 2 (HSNO - 6.9B)

Label elements



Signal word Danger

Hazard statements

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

BOSTIK COOLROOM SEALANT CR6S

Revision Number 2 Supersedes Date: 28-Jun-2017

Revision date 01-Sep-2022

H351 - Suspected of causing cancer

H361 - Suspected of damaging fertility or the unborn child

H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/clothing and eye/face protection

Contaminated work clothing must not be allowed out of the workplace

Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing

Immediately call a doctor

Skin

IF ON SKIN: Wash with plenty of water and soap

If skin irritation or rash occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification

May be harmful if swallowed. Causes mild skin irritation. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Small amounts of 2-butanone, oxime (CAS 96-29-7) are formed by hydrolysis and released upon curing.

Section 3: Composition/information on ingredients

Chemical name	CAS No	Weight-%
2-Butanone, O,O',O"-(methylsilylidyne)trioxime	22984-54-9	<10
N-(3-(trimethoxysilyl)propyl)ethylenediamine	1760-24-3	<10
2-Butanone, oxime	96-29-7	<10
Toluene	108-88-3	<10

Non-hazardous ingredients	Proprietary	Balance

Section 4: First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

Remove to fresh air. If symptoms persist, call a physician. Inhalation

Immediately flush with plenty of water. After initial flushing, remove any contact lenses Eye contact

and continue flushing for at least 15 minutes. Consult an ophthalmologist.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. May cause

an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.

Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with Ingestion

water. Drink 1 or 2 glasses of water. Do NOT induce vomiting.

Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section Self-protection of the first aider

BOSTIK COOLROOM SEALANT CR6S

Revision Number 2 Supersedes Date: 28-Jun-2017

Revision date 01-Sep-2022

Most important symptoms and effects, both acute and delayed

Symptoms None known.

Indication of any immediate medical attention and special treatment needed

8).

Note to physicians Treat symptomatically.

Section 5: Fire-fighting measures

Suitable Extinguishing Media

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

CAUTION: Use of water spray when fighting fire may be inefficient. Large Fire

Unsuitable extinguishing media Full water jet.

Specific hazards arising from the chemical

Specific hazards arising from the

Thermal decomposition can lead to release of irritating gases and vapors. chemical

Hazardous combustion products Carbon dioxide (CO2). Nitrogen oxides (NOx). Silicon oxides.

Special protective actions for fire-fighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary.

precautions for fire-fighters

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Do not get in eyes, on skin, or on clothing. Use personal protective equipment as

required. Ensure adequate ventilation.

Other information Refer to protective measures listed in Sections 7 and 8.

Use personal protection recommended in Section 8. For emergency responders

Environmental precautions

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section

12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Do not scatter spilled material with high pressure water streams.

Pick up and transfer to properly labeled containers. Methods for cleaning up

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage

BOSTIK COOLROOM SEALANT CR6S

Revision Number 2 Supersedes Date: 28-Jun-2017

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact Advice on safe handling

with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Take off contaminated clothing and wash before reuse. Remove

Revision date 01-Sep-2022

contaminated clothing and shoes.

Do not eat, drink or smoke when using this product. Wash hands before breaks and after **General hygiene considerations**

work. Take off contaminated clothing and wash it before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from moisture. Keep away from food, drink and animal feeding stuffs.

Recommended storage

temperature

Keep at temperatures between 50 and 95 °F / 10 and 35 °C.

Incompatible materials Strong oxidizing agents.

Section 8: Exposure controls/personal protection

Control parameters

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon **Exposure Limits**

curing.

Chemical name	New Zealand	ACGIH TLV	United Kingdom	Australia
Toluene	TWA: 50 ppm	Ototoxicant - potential to	TWA: 50 ppm	TWA: 50 ppm
108-88-3	TWA: 188 mg/m³ Skin	cause hearing disorders TWA: 20 ppm	TWA: 191 mg/m³ STEL: 100 ppm STEL: 384 mg/m³ Sk*	TWA: 191 mg/m³ STEL: 150 ppm STEL: 574 mg/m³

limits

Biological occupational exposure Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

Chemical name	New Zealand	ACGIH
Toluene	0.03 mg/L - urine (Toluene) - end of exposure or	0.02 mg/L - blood (Toluene) - prior to last shift of
108-88-3	end of shift	workweek
	0.3 mg/g creatinine - urine (O-Cresol) - end of	0.03 mg/L - urine (Toluene) - end of shift
	exposure or end of shift	0.3 mg/g creatinine - urine (o-Cresol with
	·	hydrolysis) - end of shift

Appropriate engineering controls

Engineering controls Showers

Evewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Tight sealing safety goggles. Eye/face protection

Hand protection Wear suitable gloves.

Wear suitable protective clothing. Skin and body protection

No protective equipment is needed under normal use conditions. If exposure limits are Respiratory protection

exceeded or irritation is experienced, ventilation and evacuation may be required.

BOSTIK COOLROOM SEALANT CR6S

Revision Number 2 Supersedes Date: 28-Jun-2017

Revision date 01-Sep-2022

Environmental exposure controls No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Solid
Appearance Paste
Color Off-white

Odor No information available.
Odor threshold No information available

Property Values Remarks • Method

pH No data available Not applicable Insoluble in water

Melting point / freezing pointNo data availableNone knownInitial boiling point and boilingNo data availableNone known

range

Flash point No data available None known Evaporation rate No data available None known Flammability No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available None known No data available Relative vapor density None known No data available None known Relative density Water solubility No data available None known Solubility(ies) No data available None known **Partition coefficient** No data available None known No data available None known **Autoignition temperature Decomposition temperature** None known

Kinematic viscosity

No data available

None known

None known

None known

None known

Explosive propertiesNo information available. **Oxidizing properties**No information available.

Other information

Softening Point
Molecular weight
VOC content
Liquid Density
Bulk density
No information available
No information available
No information available
No information available

Particle characteristics

Section 10: Stability and reactivity

Reactivity

Reactivity Product cures with moisture.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

BOSTIK COOLROOM SEALANT CR6S

Revision Number 2 Supersedes Date: 28-Jun-2017

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze.

Keep away from open flames, hot surfaces and sources of ignition.

Incompatible materials

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products

Hazardous decomposition

products

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

Revision date 01-Sep-2022

curing.

Section 11: Toxicological information

Acute toxicity

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye

damage. May cause irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. May cause irritation. May

cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes mild skin

irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea. May be harmful if swallowed.

Symptoms Redness. Burning. May cause blindness. Itching. Rashes. Hives. Prolonged contact may

cause redness and irritation.

Acute toxicity

Numerical measures of toxicity

No information available

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 5,000.00 mg/kg

 ATEmix (dermal)
 27,711.50 mg/kg

 ATEmix (inhalation-dust/mist)
 75.00 mg/l

Component Information

Component information				
Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
2-Butanone,	LD50 = 2463 mg/Kg (Rattus)	LD50 >2000 mg/Kg (Rattus)	-	
O,O',O''-(methylsilylidyne)trioxi	(OECD 401)	(OECD 402)		
me				
N-(3-(trimethoxysilyl)propyl)eth	=2295 mg/kg (Rattus)	>2000 mg/Kg (Rattus)	LC50 4H (Aerosol)1.5 - 2.44	
ylenediamine			mg/L air	
2-Butanone, oxime	=100 mg/kg (ATE)	1000 - 1800 mg/kg	>4.83 mg/L (Rattus) 4 h	
		(Oryctolagus cuniculus)		
Toluene	=5580 mg/kg (Rattus)	= 12000 mg/kg (Oryctolagus	>20 mg/L (Rattus) 4 h	

BOSTIK COOLROOM SEALANT CR6S

Revision Number 2 Supersedes Date: 28-Jun-2017

Revision date 01-Sep-2022

 _	_	
	cuniculus)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause skin irritation. Classification based on data available for ingredients. Causes

mild skin irritation.

Toluene (108-88-3)

Method	Species	Exposure route	Effective dose	Exposure time	Results
Regulation (EC) No.	Rabbit	Dermal			Irritant
440/2008, Annex, B.4					

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Causes serious eye

damage.

Respiratory or skin sensitization May cause an allergic skin reaction.

Toluene (108-88-3)

Method	Species	Exposure route	Results
Regulation (EC) No. 440/2008,	Guinea pig		No sensitization responses
Annex, B.6 (Maximization test)			were observed

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Toluene (108-88-3)

Method	Species	Results
Regulation (EC) No. 440/2008, Annex, B.13/14	Salmonella typhimurium	Not mutagenic
(Ames test)		-
OECD Test No. 476: In vitro Mammalian Cell	Mouse	Not mutagenic
Gene Mutation Test		-

Carcinogenicity

Contains a known or suspected carcinogen. Classification based on data available for ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

The table below maistage mileties cash agency ha	e neter any migrer are a caremeger	••
Chemical name	New Zealand	IARC
Toluene - 108-88-3	-	Group 3

Legend

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

2-Butanone, oxime (96-29-7)

2 Batarione, eximo (ee 20 1)		
Method	Species	Results
OECD Test No. 453: Combined Chronic	Rat	Carcinogenic
Toxicity/Carcinogenicity Studies		

Reproductive toxicity

Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. Suspected of damaging fertility or the unborn child.

Toluene (108-88-3)

Method	Species	Results
OECD 407	in vivo	Reproductive toxicant

STOT - single exposure

Based on available data, the classification criteria are not met.

BOSTIK COOLROOM SEALANT CR6S

Revision Number 2 Supersedes Date: 28-Jun-2017

Revision date 01-Sep-2022

Respiratory irritation No information available.

Narcotic effects No information available.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure.

Toluene (108-88-3)

Method	Species	Exposure route	Effective dose	Exposure time	Results
Regulation (EC) No.	Rat, male, female	Oral		91 days	NOAEL: 625 mg/kg
440/2008, Annex, B.26				-	
OECD Test No. 453:	Rat, male, female	Inhalation, vapor			NOAEL: 1.131 mg/l
Combined Chronic					
Toxicity/Carcinogenicity					
Studies					

Aspiration hazard Based on available data, the classification criteria are not met.

Section 12: Ecological information

Ecotoxicity

Ecotoxicity

Aquatic ecotoxicity

Unknown aquatic toxicity 0 % of the mixture consists of component(s) of unknown hazards to the aquatic

environment.

Chemical name	Algae/aquatic plants	Fish	Crustacea
2-Butanone, O,O',O"-(methylsilylidyne)trioxi me	EC50 (72h) = 94 mg/L (Pseudokirchneriella subcapitata) OECD 201	EC50 (96h) >120 mg/L (Oncorhynchus mykiss)Freshwater static (OECD guideline 203)	EC50 (48h) > 120 mg/L (Daphnia magna) OECD 202
N-(3-(trimethoxysilyl)propyl)eth ylenediamine	-	LC50 (96H) =597 mg/L (Danio rerio)Semi-static	EC50 (48h) =81mg/L Daphnia magna Static
2-Butanone, oxime	EC50: =83mg/L (72h, Desmodesmus subspicatus)	LC50: =760mg/L (96h, Poecilia reticulata) LC50: 777 - 914mg/L (96h, Pimephales promelas) LC50: 320 - 1000mg/L (96h, Leuciscus idus)	EC50: =750mg/L (48h, Daphnia magna)
Toluene	EC50 72 h = 12.5 mg/L (Pseudokirchneriella subcapitata)	LC50 96 h 5.89 - 7.81 mg/L (Oncorhynchus mykiss flow-through) LC50 96 h = 5.8 mg/L (Oncorhynchus mykiss semi-static)	

Terrestrial ecotoxicty There is no data for this product.

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation No information available.

Component Information

Chemical name	Partition coefficient	
2-Butanone, O,O',O"-(methylsilylidyne)trioxime	1.69	
N-(3-(trimethoxysilyl)propyl)ethylenediamine	-0.3	

BOSTIK COOLROOM SEALANT CR6S

Revision Number 2 Supersedes Date: 28-Jun-2017

	_
2-Butanone, oxime	0.65
Toluene	3.93

Mobility in soil

Other adverse effects

No information available.

Section 13: Disposal considerations

Disposal methods

Waste from residues/unused products

Dispose of product in packaging in a way that is consistent with the EPA Consolidation 30 April 2021 of the Hazardous Substances (Disposal) Notice 2017 and the Act. Treat the substance using a method that changes the characteristics or composition of the substance so that the substance is no longer a hazardous substance; or export the substance from New Zealand as waste. Substances which are hazardous to human health or corrosive to metals – may be discharged into the environment if a tolerable exposure limit has been set for the substance (or a component of that substance); and the discharge does not, after reasonable mixing, result in the concentration of the substance in an environmental medium exceeding the tolerable exposure limit. If there is no tolerable exposure limit for the substance, then it may only be discharged into the environment if the substance is very rapidly converted to substances that are not hazardous substances. Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

Revision date 01-Sep-2022

Contaminated packaging

Not applicable. Not Hazardous. Handle contaminated packages in the same way as the product itself.

Section 14: Transport information

IATA Not regulated

<u>IMDG</u> Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

ADR Not regulated

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand

ERMA Group HSR002665

Chemical name	New Zealand HSNO Chemical Classification
N-(3-(trimethoxysilyl)propyl)ethylenediamine - 1760-24-3	- 9.1C (All),9.1C (F),9.1C (C),9.1C (A) (HSR003831)
2-Butanone, oxime - 96-29-7	- 3.1C,6.1D (All),6.1D (O),6.1D (D),6.1D (I),6.3B,6.4A,6.5B,6.7B,6.9B (All),6.9B (I),6.9B (O),9.1C (A),9.1C (All),9.2A,9.3B (HSR001191) 10-18% in a non hazardous diluent - 6.3B,6.4A,6.5B,6.7B,6.9B (All),6.9B (O),6.9B (I),9.2B,9.3C (HSR006484)

BOSTIK COOLROOM SEALANT CR6S

Revision Number 2 Supersedes Date: 28-Jun-2017

Toluene - 108-88-3	- 3.1B,6.1D (All),6.1D (O),6.1D (I),6.3A,6.4A,6.8B,6.9B (All),6.9B (I),9.1D (All),9.1D (F),9.1D (C),9.1D (A),9.3C (HSR001227)

National regulations

Any applicable tolerable exposure limits and environmental exposure limits according to the EPA Controls for Hazardous Substances are listed below

Revision date 01-Sep-2022

Chemical name	Tolerable Exposure Limit Tolerable Exposure Limit Tolerable Exposure Limit Environmental Exposure			Environmental Exposure
	(TEL) Air	(TEL) Water	(TEL) Surface	Limits (EEL)
Toluene 108-88-3	400 μg/m³	0.8 mg/L	-	330 μg/L (Water)

Certified handlers, tracking and controlled substance license requirements

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information

Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information

Controlled substance licenses are required to possess certain explosives, vertebrate toxic agents and fumigants. See Part 7 of the Health and Safety at Work Regulation 2017 for more information

EPA New Zealand HSNO approval code or group standard

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Section 16: Other information

Revision date 01-Sep-2022

Revision Note

***Indicates updated data since last publication.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

C Carcinogen

Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency)

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

World Health Organization

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at

BOSTIK COOLROOM SEALANT CR6S Revision Number 2

·

Revision date 01-Sep-2022

Supersedes Date: 28-Jun-2017

the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet