



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Hazardous Substances (Safety Data Sheets) Notice 2017 EPA Consolidation 30
September 2022

BOSTIK SAFE SEAL Black
Revision Number 2

Revision date 23-Mar-2025
Supersedes date 31-Oct-2024

Section 1: Identification

Product identifier

Product Name BOSTIK SAFE SEAL Black

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended use Sealant

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier

Bostik New Zealand Limited
19 Eastern Hutt Road Wingate,
Lower Hutt, New Zealand
Tel: 04-567 5119
Fax: 04-567 5412

Manufacturer

Bostik GmbH
Industriestrasse 3 – 11
33829 Borgholzhausen, Germany
Tel: +49 (0) 5425 / 801 0
Fax: +49 (0) 5425 / 801 140

E-mail address SDS.AP@Bostik.com

Emergency telephone number

Emergency Telephone 24 Hr: 0800 243 622
International +64 4 917 9888
Poison Centre : 0800 764 766

Section 2: Hazard identification

GHS Classification

Reproductive toxicity

Category 2

Label elements



Signal word
Warning

Hazard statements

H361 - Suspected of damaging fertility or the unborn child

General advice

Read label before use
Keep out of reach of children

SAFETY DATA SHEET

BOSTIK SAFE SEAL Black
Revision Number 2

Revision date 23-Mar-2025
Supersedes date 31-Oct-2024

If medical advice is needed, have product container or label at hand

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves, protective clothing, eye protection and face protection

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Small amounts of ethanol (CAS 64-17-5) are formed by hydrolysis and released upon curing. May be harmful if inhaled. Harmful to aquatic life.

Section 3: Composition/information on ingredients

Chemical name	CAS No.	Weight-%
Carbonic acid, calcium salt (1:1)	471-34-1	40 - <80
Carbon black - nanoform	1333-86-4	1 - <3
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	52829-07-9	0.1- <1
3-aminopropyltriethoxysilane	919-30-2	0.1- <1
N-(3-(trimethoxysilyl)propyl)ethylenediamine	1760-24-3	0.1- <1

Non-hazardous ingredients	Proprietary	Balance
---------------------------	-------------	---------

Section 4: First-aid measures

Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. If medical advice is needed, have product container or label at hand.
Inhalation	Remove to fresh air. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Skin contact	Wash skin with soap and water.
Ingestion	Small amounts of toxic methanol are released by hydrolysis. Small amounts of toxic methanol are released by hydrolysis. Call a physician immediately. Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed

Symptoms	None known.
Effects of Exposure	May cause adverse reproductive effects - such as birth defect, miscarriages, or infertility.

Indication of any immediate medical attention and special treatment needed

Note to physicians	Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when the product is exposed to moisture or water. Treat symptomatically.
--------------------	--

SAFETY DATA SHEET

BOSTIK SAFE SEAL Black
Revision Number 2

Revision date 23-Mar-2025
Supersedes date 31-Oct-2024

Section 5: Fire-fighting measures

Suitable Extinguishing Media

Suitable Extinguishing Media Water spray, carbon dioxide (CO₂), dry chemical, alcohol-resistant foam.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Full water jet.

Specific hazards arising from the chemical

Specific hazards arising from the chemical Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous combustion products Carbon oxides. Carbon monoxide. Carbon dioxide (CO₂).

Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters Wear self contained breathing apparatus for fire fighting if necessary.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Do not scatter spilled material with high pressure water streams.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.

SAFETY DATA SHEET

BOSTIK SAFE SEAL Black
Revision Number 2

Revision date 23-Mar-2025
Supersedes date 31-Oct-2024

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a cool, well-ventilated place. Protect from moisture. Keep away from food, drink and animal feeding stuffs.
Recommended storage temperature	Keep at temperatures between 50 and 95 °F / 10 and 35 °C.
Incompatible materials	None known based on information supplied.

Section 8: Exposure controls/personal protection

Working area parameters, subject to mandatory control (MAC or TSEL)

Exposure Limits	Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Small amounts of ethanol (CAS 64-17-5) are formed by hydrolysis and released upon curing. This product contains carbon black in a non-respirable form. Inhalation of carbon black is unlikely to occur from exposure to this product.
-----------------	--

Chemical name	New Zealand	ACGIH TLV	United Kingdom	Australia
Carbonic acid, calcium salt (1:1) 471-34-1	TWA: 10 mg/m ³	-	-	TWA: 10 mg/m ³ ; inhalable dust
Carbon black - nanoform 1333-86-4	TWA: 3 mg/m ³	TWA: 3 mg/m ³ inhalable particulate matter	TWA: 3.5 mg/m ³ ; STEL: 7 mg/m ³	TWA: 3 mg/m ³
Chemical name	New Zealand	ACGIH TLV	United Kingdom	Australia
Ethanol 64-17-5	TWA: 200 ppm TWA: 380 mg/m ³ STEL: 800 ppm STEL: 1520 mg/m ³	STEL: 1000 ppm	TWA: 1000 ppm; TWA: 1920 mg/m ³ ; STEL: 3000 ppm; STEL: 5760 mg/m ³	TWA: 1000 ppm; TWA: 1880 mg/m ³
Methyl alcohol 67-56-1	TWA: 200 ppm TWA: 262 mg/m ³ STEL: 250 ppm STEL: 328 mg/m ³ Sk*	TWA: 200 ppm STEL: 250 ppm Sk*	TWA: 200 ppm; TWA: 266 mg/m ³ ; STEL: 250 ppm; STEL: 333 mg/m ³ ; pSk	TWA: 200 ppm; TWA: 262 mg/m ³ ; STEL: 250 ppm; STEL: 328 mg/m ³

Biological occupational exposure limits	This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.
---	--

Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.
----------------------	---

Individual protection measures, such as personal protective equipment

Eyeface protection	No special protective equipment required.
Hand protection	Wear suitable gloves.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Environmental exposure controls	No information available.

SAFETY DATA SHEET

BOSTIK SAFE SEAL Black
Revision Number 2

Revision date 23-Mar-2025
Supersedes date 31-Oct-2024

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Solid
Appearance	Paste
Color	Black
Odor	Slight. Characteristic.
Odor threshold	No information available

Property	Values
pH	No data available

Data technically impossible to obtain

Data technically impossible to obtain
CC (closed cup)
None known

None known

hPa @ 50 °C

Reacts with water

None known

Spindle 4 @ 1 rpm @ 23 °C

Explosive properties	No information available.
Oxidizing properties	No information available.

Other information

Softening point	No information available
Molecular weight	No information available
VOC content	No information available
Density	ca. 1.5 g/cm ³
Bulk density	No information available
Particle characteristics	

Remarks • Method

Not applicable Insoluble in water

Melting point / freezing point No data available

Initial boiling point and boiling range No data available

Flash point > 61 °C

Evaporation rate No data available

Flammability No data available

Flammability Limit in Air

Upper flammability or explosive limits No data available

Lower flammability or explosive limits No data available

Vapor pressure < 1100

Relative vapor density No data available

Relative density 1.45 - 1.55

Water solubility Reacts with water

Solubility(ies) No data available

Partition coefficient No data available

Autoignition temperature No data available

Decomposition temperature

Kinematic viscosity No data available

Dynamic viscosity 7000 - 13000 Pa.s

Section 10: Stability and reactivity

Reactivity

Reactivity Product cures with moisture.

Chemical stability

Stability Stable under normal conditions.

SAFETY DATA SHEET

BOSTIK SAFE SEAL Black
Revision Number 2

Revision date 23-Mar-2025
Supersedes date 31-Oct-2024

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Product cures with moisture. Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and sources of ignition.

Incompatible materials

Incompatible materials None known based on information supplied.

Hazardous decomposition products

Hazardous decomposition products None under normal use conditions. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Small amounts of ethanol (CAS 64-17-5) are formed by hydrolysis and released upon curing.

Section 11: Toxicological information

Acute toxicity

Information on likely routes of exposure

Product Information

Inhalation May be harmful if inhaled.

Eye contact Based on available data, the classification criteria are not met.

Skin contact May cause sensitization in susceptible persons. Based on available data, the classification criteria are not met.

Ingestion Based on available data, the classification criteria are not met.

Symptoms No information available.

Acute toxicity

.

Numerical measures of toxicity

The following ATE values have been calculated for the mixture

ATEmix (oral) 110,572.60 mg/kg
ATEmix (dermal) >5000 mg/kg
ATEmix (inhalation-gas) >20000 ppm
ATEmix (inhalation-vapor) >20 mg/l
ATEmix (inhalation-dust/mist) 278.90 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Carbonic acid, calcium salt (1:1)	LD50 > 2000 mg/kg (Rattus) OECD 420	LD50 >2000 mg/kg (Rattus) OECD 402	LC50 (4h) >3mg/ml (Rattus)

SAFETY DATA SHEET

BOSTIK SAFE SEAL Black
Revision Number 2

Revision date 23-Mar-2025
Supersedes date 31-Oct-2024

Carbon black - nanoform	> 8000 mg/kg (Rat) OECD 401	LD50 > 2000 mg/kg	LC0 > 4.6 mg/m ³ (Rat) 4 h
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	LD50 (Rattus) > 2000 mg/kg OECD 423	LD50 (Rattus) > 3 170 mg/kg OECD 402	=500 mg/m ³ (Rattus) 4 h
3-aminopropyltriethoxysilane	LD50 = 1490 mg/kg (Rattus, female) EPA OTS 798.1175 LD50 = 2690 mg/kg (Rattus, male) EPA OTS 798.1175	LD50 = 4076 mg/kg (Oryctolagus cuniculus) EPA OTS 798.1100	LC50 >144 mg/L (6h) Rattus (Vapour)
N-(3-(trimethoxysilyl)propyl)ethylenediamine	LD50 = 2295 mg/kg (Rattus) EPA OPPTS 870.1100	LD50 > 2000 mg/kg (Oryctolagus cuniculus) EPA OPPTS 870.1200	1.49 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404: Acute Dermal Irritation/Corrosion	Rabbit	Dermal			Non-irritant

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Component Information

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405: Acute Eye Irritation/Corrosion	Rabbit	eye			Eye Damage

Respiratory or skin sensitization OECD Test No. 406: Skin Sensitization. No sensitization responses were observed. No classification is proposed, based on conclusive negative data. May cause sensitization in susceptible persons.

Method	Species	Exposure route	Results
OECD Test No. 406: Skin Sensitization	Guinea pig	Dermal	No sensitization responses were observed

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	New Zealand	IARC
Carbon black - nanoform - 1333-86-4	Suspected carcinogen	Group 2B

Legend

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Reproductive toxicity Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. Suspected of damaging fertility or the unborn child.

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Species	Results
--------	---------	---------

SAFETY DATA SHEET

BOSTIK SAFE SEAL Black
Revision Number 2

Revision date 23-Mar-2025
Supersedes date 31-Oct-2024

OECD Test No. 414: Prenatal Development Toxicity Study	Rat, Rabbit	Reproductive toxicant
--	-------------	-----------------------

STOT - single exposure Based on available data, the classification criteria are not met.

Narcotic effects No information available.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Section 12: Ecological information

Ecotoxicity

Ecotoxicity Harmful to aquatic life.

Aquatic ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Crustacea
Carbonic acid, calcium salt (1:1)	IC50 72H Algae >1000 mg/l	CL50 96H >1000 mg/l	EC50 48H Daphnia >1000 mg/l
Carbon black - nanoform	EC50 (72h) > 10.000 mg/l (scenedesmus subspicatus) OECD 201	LC0 (96h): 1.000 mg/l (Brachydanio rerio) OECD 203	EC50 (24h) > 5.600 mg/l (Daphnia magna) OECD 202
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	EC50 72Hr 0.705 mg/l (Pseudokirchnerella subcapitata)	LC50 (96h) = 5.29 mg/l (Oryzias latipes)	LC50 48Hr 8.58 mg/l (Daphnia magna)
3-aminopropyltriethoxysilane	EC50 (72h) >1000 mg/L Green algae (desmodesmus subspicatus) (OECD TG 201)	LC50 (96h) >934 mg/L (Brachydanio rerio) (OECD TG 203)	EC50 (48h) =331 mg/L Daphnia magna (OECD TG 202)
N-(3-(trimethoxysilyl)propyl)ethylenediamine	-	LC50 (96H) =597 mg/L (Danio rerio)Semi-static	EC50 (48h) =81mg/L Daphnia magna Static

Terrestrial ecotoxicity There is no data for this product.

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	0.35
3-aminopropyltriethoxysilane	1.7
N-(3-(trimethoxysilyl)propyl)ethylenediamine	-0.3

Mobility in soil

Mobility No information available.

Other adverse effects

No information available.

Disposal methods

SAFETY DATA SHEET

BOSTIK SAFE SEAL Black
Revision Number 2

Revision date 23-Mar-2025
Supersedes date 31-Oct-2024

Waste from residues/unused products

Dispose of product in packaging in a way that is consistent with the EPA Consolidation 30 April 2021 of the Hazardous Substances (Disposal) Notice 2017 and the Act. Treat the substance using a method that changes the characteristics or composition of the substance so that the substance is no longer a hazardous substance; or export the substance from New Zealand as waste. Substances which are hazardous to human health or corrosive to metals – may be discharged into the environment if a tolerable exposure limit has been set for the substance (or a component of that substance); and the discharge does not, after reasonable mixing, result in the concentration of the substance in an environmental medium exceeding the tolerable exposure limit. If there is no tolerable exposure limit for the substance, then it may only be discharged into the environment if the substance is very rapidly converted to substances that are not hazardous substances. Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

Contaminated packaging

Handle contaminated packages in the same way as the product itself.

Section 14: Transport information

IATA Not regulated

IMDG Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
No information available

ADR Not regulated

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

EPA New Zealand HSNO approval code or group standard HSR002670 - Surface Coatings and Colourants (Subsidiary Hazard)

National regulations There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances

Certified handlers, tracking and controlled substance license requirements

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information
Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information
Controlled substance licenses are required to possess certain explosives, vertebrate toxic agents and fumigants. See Part 7 of the Health and Safety at Work Regulation 2017 for more information

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

SAFETY DATA SHEET

BOSTIK SAFE SEAL Black
Revision Number 2

Revision date 23-Mar-2025
Supersedes date 31-Oct-2024

The Rotterdam Convention Not applicable

Europe

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 16: Other information

Prepared By Product Stewardship and Regulatory Affairs
Revision date 23-Mar-2025

Revision Note

SDS sections updated. 11.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances
STOT: Specific Target Organ Toxicity
ATE: Acute Toxicity Estimate
LC50: 50% Lethal Concentration
LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation
**	Hazard Designation	+	Sensitizers
C	Carcinogen		

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
Environmental Protection Agency
Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
Organization for Economic Co-operation and Development High Production Volume Chemicals Program
Organization for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in

SAFETY DATA SHEET

BOSTIK SAFE SEAL Black
Revision Number 2

Revision date 23-Mar-2025
Supersedes date 31-Oct-2024

combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet