

This safety data sheet was created pursuant to the requirements of: Hazardous Substances (Safety Data Sheets) Notice 2017 EPA Consolidation 30 September 2022

BOSTIK SAFE SEAL White Revision Number 1

Revision date 02-Mar-2022 Supersedes date 22-Nov-2022

Section 1: Identification

Product identifier

Product Name BOSTIK SAFE SEAL White

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended use Sealant

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Manufacturer
Postik New Zooland Limited Rostik CmbH

Bostik New Zealand Limited Bostik GmbH
19 Eastern Hutt Road Wingate, Industriestrasse 3 – 11

Lower Hutt, New Zealand 33829 Borgholzhausen, Germany Tel: 04-567 5119 Tel: +49 (0) 5425 / 801 0

Fax: 04-567 5412 Fax: +49 (0) 5425 / 801 0 Fax: +49 (0) 5425 / 801 140

E-mail address SDS.AP@Bostik.com

Emergency telephone number

Emergency Telephone 24 Hr: 0800 243 622

International +64 4 917 9888 Poison Centre: 0800 764 766

Section 2: Hazard identification

GHS Classification

Reproductive toxicity Category 2

Label elements



Signal word Warning

Hazard statements

H361 - Suspected of damaging fertility or the unborn child

General advice

Read label before use Keep out of reach of children

New Zealand Page 1 / 10

BOSTIK SAFE SEAL White Revision date 02-Mar-2022
Revision Number 1 Supersedes date 22-Nov-2022

If medical advice is needed, have product container or label at hand

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood Wear protective gloves, protective clothing, eye protection and face protection

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Small amounts of ethanol (CAS 64-17-5) are formed by hydrolysis and released upon curing. May be harmful if inhaled. Harmful to aquatic life.

Section 3: Composition/information on ingredients

Chemical name	CAS No.	Weight-%
Carbonic acid, calcium salt (1:1)	471-34-1	40 - <80
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	52829-07-9	0.1- <1
3-aminopropyltriethoxysilane	919-30-2	0.1- <1
N-(3-(trimethoxysilyl)propyl)ethylenediamine	1760-24-3	0.1- <1
	•	

Non-hazardous ingredients	Proprietary	Balance

Section 4: First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Skin contact Wash skin with soap and water.

Ingestion Small amounts of toxic methanol are released by hydrolysis. Small amounts of toxic

methanol are released by hydrolysis. Call a physician immediately. Never give anything

by mouth to an unconscious person. Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed

Symptoms None known.

Effects of Exposure May cause adverse reproductive effects - such as birth defect, miscarriages, or infertility.

Indication of any immediate medical attention and special treatment needed

Note to physicians Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when the product is exposed to moisture or water. Treat symptomatically.

New Zealand Page 2 / 10

BOSTIK SAFE SEAL White Revision date 02-Mar-2022
Revision Number 1 Supersedes date 22-Nov-2022

Section 5: Fire-fighting measures

Suitable Extinguishing Media

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Full water jet.

Specific hazards arising from the chemical

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous combustion products Carbon oxides. Carbon monoxide. Carbon dioxide (CO2).

Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation. Do not get

in eyes, on skin, or on clothing.

Environmental precautions

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section

12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Do not scatter spilled material with high pressure water streams.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact

with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove

contaminated clothing and shoes.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

work.

New Zealand Page 3 / 10

BOSTIK SAFE SEAL White Revision date 02-Mar-2022 **Revision Number** 1 Supersedes date 22-Nov-2022

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Protect from moisture.

Keep away from food, drink and animal feeding stuffs.

Recommended storage

temperature

Keep at temperatures between 50 and 95 °F / 10 and 35 °C.

Incompatible materials None known based on information supplied.

Section 8: Exposure controls/personal protection

Working area parameters, subject to mandatory control (MAC or TSEL)

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon **Exposure Limits**

curing. Small amounts of ethanol (CAS 64-17-5) are formed by hydrolysis and released upon curing. This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product. This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur

from exposure to this product.

Chemical name	New Zealand	ACGIH TLV	United Kingdom	Australia
Carbonic acid, calcium salt (1:1)	TWA: 10 mg/m ³	-	-	TWA: 10 mg/m³; inhalable dust
471-34-1				iiiiiaiaa aaat
Chemical name	New Zealand	ACGIH TLV	United Kingdom	Australia
Ethanol	TWA: 200 ppm	STEL: 1000 ppm	TWA: 1000 ppm;	TWA: 1000 ppm;
64-17-5	TWA: 380 mg/m ³		TWA: 1920 mg/m ³ ;	TWA: 1880 mg/m ³ ;
	STEL: 800 ppm		STEL: 3000 ppm;	
	STEL: 1520 mg/m ³		STEL: 5760 mg/m ³ ;	
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm;	TWA: 200 ppm;
67-56-1	TWA: 262 mg/m ³	STEL: 250 ppm	TWA: 266 mg/m ³ ;	TWA: 262 mg/m ³ ;
	STEL: 250 ppm	Sk*	STEL: 250 ppm;	STEL: 250 ppm;
	STEL: 328 mg/m ³		STEL: 333 mg/m ³ ;	STEL: 328 mg/m ³ ;
	Sk*		pSk	_

limits

Biological occupational exposure This product, as supplied, does not contain any hazardous materials with biological limits

established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering controls Showers

> Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection No special protective equipment required.

Wear suitable gloves. Hand protection

Skin and body protection Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls No information available.

New Zealand Page 4 / 10

BOSTIK SAFE SEAL WhiteRevision date02-Mar-2022Revision Number1Supersedes date22-Nov-2022

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Solid
Appearance Paste
Color White

Data technically impossible to obtain

Data technically impossible to obtain

CC (closed cup)

None known

None known

hPa @ 50 °C

Reacts with water

Odor Slight. Characteristic.
Odor threshold No information available

Property Values Remarks • Method

pH No data available Not applicable Reacts with water

Melting point / freezing No data available

point

Initial boiling point and No data available

boiling range

Flash point > 61 °C

Evaporation rate No data available **Flammability** No data available

Flammability Limit in

Air

Upper flammability or No data available

explosive limits

Lower flammability or No data available

explosive limits

Vapor pressure < 1100

Relative vapor density
Relative density
Water solubility
Solubility(ies)
Partition coefficient
Autoignition
No data available
1.45 - 1.55
Reacts with water
No data available
No data available
No data available

temperature
Decomposition
temperature

Kinematic viscosity No data available **Dynamic viscosity** 7000 - 13000 Pa.s

None known

Spindle 4 @ 1 rpm @ 23 °C

Explosive propertiesNo information available. **Oxidizing properties**No information available.

Other information

Softening point
Molecular weight
VOC content
Density

No information available
No information available
No information available
available
ca. 1.5 g/cm³

Bulk density

No information available

Particle characteristics

Section 10: Stability and reactivity

Reactivity

Reactivity Product cures with moisture.

Chemical stability

Stability Stable under normal conditions.

New Zealand Page 5 / 10

BOSTIK SAFE SEAL White Revision date 02-Mar-2022
Revision Number 1 Supersedes date 22-Nov-2022

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Product cures with moisture. Protect from moisture. Exposure to air or moisture over

prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and

sources of ignition.

Incompatible materials

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products

Hazardous decomposition

products

None under normal use conditions. Small amounts of ethanol (CAS 64-17-5) are formed by hydrolysis and released upon curing. Small amounts of methanol (CAS 67-56-1) are

formed by hydrolysis and released upon curing.

Section 11: Toxicological information

Acute toxicity

Information on likely routes of exposure

Product Information

Inhalation May be harmful if inhaled.

Eye contact Based on available data, the classification criteria are not met.

Skin contact May cause sensitization in susceptible persons. Based on available data, the

classification criteria are not met.

Ingestion Based on available data, the classification criteria are not met.

Symptoms No information available.

Acute toxicity .

Numerical measures of toxicity

The following ATE values have been calculated for the mixture

ATEmix (oral) 110,572.60 mg/kg
ATEmix (dermal) >5000 mg/kg
ATEmix (inhalation-gas) >20000 ppm
ATEmix (inhalation-vapor) >20 mg/l
ATEmix (inhalation-dust/mist) 278.90 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Carbonic acid, calcium salt	LD50 > 2000 mg/kg (Rattus)	LD50 >2000 mg/kg (Rattus)	LC50 (4h) >3mg/ml (Rattus)
(1:1)	OECD 420	OECD 402	

New Zealand Page 6 / 10

BOSTIK SAFE SEAL WhiteRevision date02-Mar-2022Revision Number1Supersedes date22-Nov-2022

Bis(2,2,6,6-tetramethyl-4-piperi	LD50 (Rattus)> 2000 mg/kg	LD50 (Rattus) > 3 170 mg/kg	=500 mg/m³ (Rattus) 4 h
dyl) sebacate	OECD 423	OECD 402	
3-aminopropyltriethoxysilane	LD50 = 1490 mg/kg (Rattus,	LD50 = 4076 mg/kg	LC50 >144 mg/L (6h) Rattus
	female) EPA OTS 798.1175	(Oryctolagus cuniculus) EPA	(Vapour)
	LD50 = 2690 mg/kg (Rattus,	OTS 798.1100	
	male) EPA OTS 798.1175		
N-(3-(trimethoxysilyl)propyl)eth	LD50 = 2295 mg/kg (Rattus)	LD50 > 2000 mg/kg	1.49 mg/L (Rat)4 h
ylenediamine	EPA OPPTS 870.1100	(Oryctolagus cuniculus)	
		EPA OPPTS 870.1200	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationBased on available data, the classification criteria are not met.

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			Non-irritant
Acute Dermal					
Irritation/Corrosion					

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Component Information

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye			Eye Damage
Acute Eye					
Irritation/Corrosion					

Respiratory or skin sensitization

OECD Test No. 406: Skin Sensitization. No sensitization responses were observed. No classification is proposed, based on conclusive negative data. May cause sensitization in susceptible persons.

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitization responses
Sensitization			were observed

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity This product contains substances which in their raw state are powder form, however in

this product they are in a non-respirable form. Inhalation of powder/dust particles is

unlikely to occur from exposure to this product.

Reproductive toxicity Contains a known or suspected reproductive toxin. Classification based on data available

for ingredients. Suspected of damaging fertility or the unborn child.

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Species	Results
OECD Test No. 414: Prenatal Development	Rat, Rabbit	Reproductive toxicant
Toxicity Study		

STOT - single exposure Based on available data, the classification criteria are not met.

Narcotic effects No information available.

New Zealand Page 7 / 10

BOSTIK SAFE SEAL White Revision date 02-Mar-2022 **Revision Number** 1 Supersedes date 22-Nov-2022

Based on available data, the classification criteria are not met. STOT - repeated exposure

Aspiration hazard Based on available data, the classification criteria are not met.

Section 12: Ecological information

Ecotoxicity

Harmful to aquatic life. **Ecotoxicity**

Aquatic ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Crustacea
Carbonic acid, calcium salt	IC50 72H Algae >1000 mg/l	CL50 96H >1000 mg/l	EC50 48H Daphnia >1000 mg/l
(1:1)			
Bis(2,2,6,6-tetramethyl-4-piperi	EC50 72Hr 0.705 mg/l	LC50 (96h) = 5.29 mg/l (Oryzias	LC50 48Hr 8.58 mg/l (Daphnia
dyl) sebacate	(Pseudokirchnerella subcapitata)	latipes)	magna)
3-aminopropyltriethoxysilane	EC50 (72h) >1000 mg/L Green	LC50 (96h) >934 mg/L	EC50 (48h) =331 mg/L Daphnia
	algae (desmodesmus subspicatus)	(Brachydanio rerio) (OECD TG	magna (OECD TG 202)
	(OECD TG 201)	203)	
N-(3-(trimethoxysilyl)propyl)eth	-	LC50 (96H) =597 mg/L (Danio	EC50 (48h) =81mg/L Daphnia
ylenediamine		rerio)Semi-static	magna Static

Terrestrial ecotoxicity There is no data for this product.

Persistence and degradability No information available.

Bioaccumulative potential **Bioaccumulation Component Information**

Chemical name	Partition coefficient
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	0.35
3-aminopropyltriethoxysilane	1.7
N-(3-(trimethoxysilyl)propyl)ethylenediamine	-0.3

Mobility in soil

Mobility No information available.

Other adverse effects

No information available.

Disposal methods

Waste from residues/unused products

Dispose of product in packaging in a way that is consistent with the EPA Consolidation 30 April 2021 of the Hazardous Substances (Disposal) Notice 2017 and the Act. Treat the substance using a method that changes the characteristics or composition of the substance so that the substance is no longer a hazardous substance; or export the substance from New Zealand as waste. Substances which are hazardous to human health or corrosive to metals - may be discharged into the environment if a tolerable exposure limit has been set for the substance (or a component of that substance); and the discharge does not, after reasonable mixing, result in the concentration of the substance in an environmental medium exceeding the tolerable exposure limit. If there is

New Zealand Page 8 / 10

BOSTIK SAFE SEAL White

Revision date 02-Mar-2022 **Revision Number** 1 Supersedes date 22-Nov-2022

> no tolerable exposure limit for the substance, then it may only be discharged into the environment if the substance is very rapidly converted to substances that are not hazardous substances. Dispose of contents/container in accordance with local, regional,

national, and international regulations as applicable.

Handle contaminated packages in the same way as the product itself. Contaminated packaging

Section 14: Transport information

IATA Not regulated **IMDG** Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

ADR Not regulated

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

EPA New Zealand HSNO approval code or group standard

HSR002670 - Surface Coatings and Colourants (Subsidiary Hazard)

National regulations

There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances

Certified handlers, tracking and controlled substance license requirements

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information

Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please

check the Health and Safety at Work Act 2015 for further information

Controlled substance licenses are required to possess certain explosives, vertebrate toxic agents and fumigants. See Part 7 of the Health and Safety at Work Regulation 2017

for more information

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Europe

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

New Zealand Page 9 / 10

BOSTIK SAFE SEAL White Revision Number 1

Revision date 02-Mar-2022 Supersedes date 22-Nov-2022

Section 16: Other information

Prepared By Product Stewardship and Regulatory Affairs

Revision date 02-Mar-2022

Revision Note

SDS sections updated:

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

** Hazard Designation + Sensitizers

C Carcinogen

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

New Zealand Page 10 / 10